

RED DOT SERIES

THE ULTIMATE SIGHTING SYSTEMS THAT KEEP YOUR PERIPHERAL VISION MAXIMIZED



1. DP - Weaver Style Mount



2. DP3/8 - 3/8" Dovetail Mount

- LED (Light Emitting Diode) 100% Safe for the Eyes
- Unlimited Eye Relief and Field of View
- Standard On/Off Switch
- Includes Extra Battery and Mounting Tools



3. DP130 - Weaver Style Ring Mount



4. DP130/3 - 3/8" Dovetail Ring Mount

- LED (Light Emitting Diode) 100% Safe for the Eyes
- Unlimited Eye Relief and Field of View
- Four Position On/Off Switch
- Includes Extra Battery and Mounting Tools

DUAL ILLUMINATED RED/GREEN DOT RETICLES AND UNIQUE INTERCHANGEABLE WEAVER/DOVETAIL MOUNTS!



5. DAB - Black



6. DAS - Silver

- LED (Light Emitting Diode) 100% Safe for the Eyes
- Unlimited Eye Relief and Field of View
- Multi-position Rheostat Knob for Red and Green Illumination
- Interchangeable Weaver and Dovetail Mount
- Includes Extra Battery and Mounting Tools



3/8" Dovetail Base

DUAL ILLUMINATED RETICLE SYSTEM



Weaver Style Base

DATA TABLE	1	2	3	4	5	6
MAGNIFICATION	1X	1X	1X	1X	1X	1X
OBJECTIVE DIAMETER	22.0 X 33.0	22.0 X 33.0	30.0	30.0	25.0	25.0
DOT SIZE	5 MOA	5 MOA	5 MOA	5 MOA	5 MOA	5 MOA
CLICK VALUE @100 YDS	N/A	N/A	1 MOA	1 MOA	1 MOA	1 MOA
NET WEIGHT (oz.)	3.0	2.8	3.9	3.9	4.5	4.5
LENGTH (in.)	4.7	4.7	4.4	4.4	4.1	4.1
LENS COATING	CLEAR	CLEAR	RUBY	RUBY	CLEAR	CLEAR

RED DOT SERIES

1. DLB140R

- LED (Light Emitting Diode) 100% Safe for the Eyes
- Anodized Aluminum Body
- Unlimited Eye Relief and Field of View
- Integrated Quick Release Weaver Style Mount
- Integrated Red Laser
- Powered by Three Volt Lithium Batteries (CR2032)
- Includes Extra Battery



The DLB140R is the Newest Red Dot to the NcSTAR Line-up. The Quick Release Weaver Style Mount allows for Quick and Easy Mounting, and the Fully Adjustable Red Laser Beam adds sighting options not found on other Red Dot Sights.



2. DMP5

- LED (Light Emitting Diode) 100% Safe for the Eyes
- Anodized Aluminum Body
- Unlimited Eye Relief and Field of View
- Integrated MP5 HK Claw Mount
- Powered by Three Volt Lithium Batteries (CR2032)
- Includes Extra Battery, Mounting Tool



- LED (Light Emitting Diode) 100% Safe for the Eyes
- Anodized Aluminum Body
- Unlimited Eye Relief and Field of View
- DDAB, DDAS, DDAC: Standard On/Off Switch
- Integrated Weaver Style Mount
- Powered by Three Volt Lithium Batteries (CR2032)
- Includes Extra Battery, Lens Covers, and Mounting Tool

3. DDAB



4. DDAS



5. DDAC



DATA TABLE	1	2	3	4	5
MAGNIFICATION	1X	1X	1X	1X	1X
OBJECTIVE DIAMETER	40.0	20.0	23.5 X 16.8	23.5 X 16.8	23.5 X 16.8
DOT SIZE	3 MOA	3 MOA	2 MOA	2 MOA	2 MOA
CLICK VALUE @100 YDS	1 MOA	1 MOA	1 MOA	1 MOA	1 MOA
NET WEIGHT (oz.)	11.3	5.5	1.3	1.3	1.3
LENGTH (in)	4.3	3.4	1.8	1.8	1.8
LENS COATING	RUBY	RUBY	RUBY	RUBY	RUBY

- LED (Light Emitting Diode) 100% Safe for the Eyes
- Anodized Aluminum Body
- Heads up Display
- Unlimited Eye Relief and Field of View
- 7 Position Rheostat Knob for Multiple Brightness Settings
- Powered by Three Volt Lithium Batteries (CR2032)

MULTI-RETICLE SYSTEM



1. D4B - Black



2. D4S - Silver



3. D4C - Camo

- LED (Light Emitting Diode) 100% Safe for the Eyes
- Anodized Aluminum Body
- Heads up Display
- Unlimited Eye Relief and Field of View
- 3 Brightness Settings for Each Color (Red/Green)
- Powered by Three Volt Lithium Batteries (CR2032)

DUAL ILLUMINATED MULTI-RETICLE SYSTEM



4. D4RGB - Black



5. D4RGS - Silver



6. D4RGC - Camo



The Rear Selector Switch of these Red Dot Sights allows you to cycle between the 4 different Reticles Options

7. DTB4

- LED (Light Emitting Diode) 100% Safe for the Eyes
- Anodized Aluminum Body
- Unlimited Eye Relief and Field of View
- 11 Position Rheostat and Selector Knob for 4 Different Reticles
- Powered by One Volt Lithium Battery (CR2032)
- Includes Weaver Style Rings and Extra Battery

* Same Red Illuminated Reticle Options as D4B-D4S-D4C



DATA TABLE	1	2	3	4	5	6	7
MAGNIFICATION	1X	1X	1X	1X	1X	1X	1X
OBJECTIVE DIAMETER	24.0 X 34.0	24.0 X 34.0	24.0 X 34.0	24.0 X 34.0	24.0 X 34.0	24.0 X 34.0	30.0
DOT SIZE	3 MOA	3 MOA	3 MOA	3 MOA	3 MOA	3 MOA	3 MOA
CLICK VALUE @100 YDS	1 MOA	1 MOA	1 MOA	1 MOA	1 MOA	1 MOA	1 MOA
NET WEIGHT (oz.)	4.2	4.2	4.2	4.2	4.2	4.2	8.0
LENGTH (in)	3.2	3.2	3.2	3.2	3.2	3.2	5.1
LENS COATING	RUBY	RUBY	RUBY	PLATINUM	PLATINUM	PLATINUM	RUBY